


# ALUCOBOND® PLUS HORIZONTAL SYSTEM: 2-C-ACM

- |   |  |
|---|--|
| 01. ALUCOBOND® PLUS: PARAPET 2-C-ACM                | 09. ALUCOBOND® PLUS: OUTSIDE CORNER 2-C-ACM        |
| 02. ALUCOBOND® PLUS: HORIZONTAL 2-C-ACM             | 10. ALUCOBOND® PLUS: VERTICAL JOINT 2-C-ACM        |
| 03. ALUCOBOND® PLUS: ACCENT REVEAL 2-C-ACM          | 11. ALUCOBOND® PLUS: INSIDE CORNER 2-C-ACM         |
| 04. ALUCOBOND® PLUS: BASE 2-C-ACM                   | 12. ALUCOBOND® PLUS: RADIUS OUTSIDE CORNER 2-C-ACM |
| 05. ALUCOBOND® PLUS: WALL/SOFFIT TRANSITION 2-C-ACM | 13. ALUCOBOND® PLUS: ENDWALL CONDITION 2-C-ACM     |
| 06. ALUCOBOND® PLUS: WINDOW HEAD 2-C-ACM            | 14. ALUCOBOND® PLUS: SQUARE COLUMN COVER 2-C-ACM   |
| 07. ALUCOBOND® PLUS: WINDOW SILL 2-C-ACM            | 15. ALUCOBOND® PLUS: RADIUS COLUMN COVER 2-C-ACM   |
| 08. ALUCOBOND® PLUS: WINDOW JAMB 2-C-ACM            |  |



## RAINSCREEN SYSTEM DETAIL LAYOUT

NOTE: THIS IS A "RAINSCREEN" SYSTEM. THE BUILDING MUST BE WEATHERTIGHT PRIOR TO THE INSTALLATION OF THE PANEL SYSTEM.

Styro Systems & Claddings, Inc.



[info@styrosystemscarolinas.com](mailto:info@styrosystemscarolinas.com)  
[www.styrosystemscarolinas.com](http://www.styrosystemscarolinas.com)

8206 Village Harbor Dr.  
 Cornelius, NC 28031  
 (704) 895-6006 P.  
 (704) 894-9082 F.



| # | DESCRIPTION    | DATE       | INI. |
|---|----------------|------------|------|
| 1 | 5-MV-ACM Final | 09/14/2021 | rps  |
| 2 | 2-C-ACM Final  | 09/21/2021 | rps  |
| 3 | --             | --         | --   |
| 4 | --             | --         | --   |
| 5 | --             | --         | --   |
| 6 | --             | --         | --   |
| 7 | --             | --         | --   |
| 8 | --             | --         | --   |

System:

Styro-Systems  
2-C-ACM

**DRAWING DISCLAIMER:**  
 ILLUSTRATION ONLY. DETAILS ARE PROVIDED FOR CONCEPTUAL PURPOSES ONLY. ALWAYS REVIEW LOADING REQUIREMENTS WITH THE PROJECT ENGINEER FOR LOCAL/STATE STANDARD CODE REQUIREMENTS, AND USE APPROPRIATE FASTENERS AND SPACING AS REQUIRED. PROJECT SPECIFIC ENGINEERING (BY OTHERS) IS REQUIRED TO ADDRESS LOCAL WIND LOAD, CLADDING WEIGHT/TYPE, PROJECTION, SPACING, ORIENTATION AND SUPPORT LOADING, ETC.) **ALWAYS CONSULT LOCAL BUILDING AND FIRE CODE REQUIREMENTS RELATED TO NFPA 285, HOURLY WALL ASSEMBLIES OR OTHER FIRE RELATED REQUIREMENTS.** CONTACT STYRO SYSTEMS & CLADDING, INC. FOR ADDITIONAL INFORMATION. GUIDE DETAILS BY STYRO SYSTEMS & CLADDING, INC ARE PROVIDED FOR GENERAL REFERENCE ONLY AND REPRESENT TYPICAL CONDITIONS FOR CLADDING ATTACHMENT AND SYSTEMS ONLY. ALL IMPLIED WARRANTIES INCLUDING APPROPRIATENESS FOR A SPECIFIC PURPOSE ARE EXPLICITLY EXCLUDED.

|         |          |
|---------|----------|
| Title:  | DET      |
| Scale:  |          |
| Number: | 20050    |
| Sheet:  | KEY      |
|         | APPROVED |



01 ALUCOBOND® PLUS: PARAPET 2-C-ACM  
 DET ARCH REF:

**Styro Systems & Claddings, Inc.**



[info@styrosystemscarolinas.com](mailto:info@styrosystemscarolinas.com)  
[www.styrosystemscarolinas.com](http://www.styrosystemscarolinas.com)


8206 Village Harbor Dr.  
 Cornelius, NC 28031  
 (704) 895-6006 P.  
 (704) 894-9082 F.

| # | DESCRIPTION    | DATE       | INI. |
|---|----------------|------------|------|
| 1 | 5-MV-ACM Final | 09/14/2021 | rps  |
| 2 | 2-C-ACM Final  | 09/21/2021 | rps  |
| 3 | --             | --         | --   |
| 4 | --             | --         | --   |
| 5 | --             | --         | --   |
| 6 | --             | --         | --   |
| 7 | --             | --         | --   |
| 8 | --             | --         | --   |

System: **Styro-Systems 2-C-ACM**

**DRAWING DISCLAIMER:** ILLUSTRATION ONLY. DETAILS ARE PROVIDED FOR CONCEPTUAL PURPOSES ONLY. ALWAYS REVIEW LOADING REQUIREMENTS WITH THE PROJECT ENGINEER FOR LOCAL/STATE STANDARD CODE REQUIREMENTS, AND USE APPROPRIATE FASTENERS AND SPACING AS REQUIRED. PROJECT SPECIFIC ENGINEERING (BY OTHERS) IS REQUIRED TO ADDRESS LOCAL WIND LOAD, CLADDING WEIGHT/TYPE, PROJECTION, SPACING, ORIENTATION AND SUPPORT LOADING, ETC.) **ALWAYS CONSULT LOCAL BUILDING AND FIRE CODE REQUIREMENTS RELATED TO NFPA 285, HOURLY WALL ASSEMBLIES OR OTHER FIRE RELATED REQUIREMENTS.** CONTACT STYRO SYSTEMS & CLADDING, INC. FOR ADDITIONAL INFORMATION. GUIDE DETAILS BY STYRO SYSTEMS & CLADDING, INC ARE PROVIDED FOR GENERAL REFERENCE ONLY AND REPRESENT TYPICAL CONDITIONS FOR CLADDING ATTACHMENT AND SYSTEMS ONLY. ALL IMPLIED WARRANTIES INCLUDING APPROPRIATENESS FOR A SPECIFIC PURPOSE ARE EXPLICITLY EXCLUDED.

|          |            |
|----------|------------|
| Title:   | DET        |
| Scale:   | 3" = 1'-0" |
| Number:  | 20050      |
| Sheet:   | 01         |
| APPROVED |            |



CLADDING TYPE & WIND PRESSURES DEPENDENT (TYPICALLY 16\"/>

**02** ALUCOBOND® PLUS: HORIZONTAL 2-C-ACM  
**DET** ARCH REF:

**Styro Systems & Claddings, Inc.**  
[info@styrosystemscarolinas.com](mailto:info@styrosystemscarolinas.com)  
[www.styrosystemscarolinas.com](http://www.styrosystemscarolinas.com)  
 8206 Village Harbor Dr.  
 Cornelius, NC 28031  
 (704) 895-6006 P.  
 (704) 894-9082 F.


| # | DESCRIPTION    | DATE       | INI. |
|---|----------------|------------|------|
| 1 | 5-MV-ACM Final | 09/14/2021 | rps  |
| 2 | 2-C-ACM Final  | 09/21/2021 | rps  |
| 3 | --             | --         | --   |
| 4 | --             | --         | --   |
| 5 | --             | --         | --   |
| 6 | --             | --         | --   |
| 7 | --             | --         | --   |
| 8 | --             | --         | --   |

System: **Styro-Systems 2-C-ACM**

**DRAWING DISCLAIMER:** DETAILS ARE PROVIDED FOR CONCEPTUAL PURPOSES ONLY. ALWAYS REVIEW LOADING REQUIREMENTS WITH THE PROJECT ENGINEER FOR LOCAL/STATE STANDARD CODE REQUIREMENTS, AND USE APPROPRIATE FASTENERS AND SPACING AS REQUIRED. PROJECT SPECIFIC ENGINEERING (BY OTHERS) IS REQUIRED TO ADDRESS LOCAL WIND LOAD, CLADDING WEIGHT/TYPE, PROJECTION, SPACING, ORIENTATION AND SUPPORT LOADING, ETC. **ALWAYS CONSULT LOCAL BUILDING AND FIRE CODE REQUIREMENTS RELATED TO NFPA 285, HOURLY WALL ASSEMBLIES OR OTHER FIRE RELATED REQUIREMENTS.** CONTACT STYRO SYSTEMS & CLADDING, INC. FOR ADDITIONAL INFORMATION. GUIDE DETAILS BY STYRO SYSTEMS & CLADDING, INC ARE PROVIDED FOR GENERAL REFERENCE ONLY AND REPRESENT TYPICAL CONDITIONS FOR CLADDING ATTACHMENT AND SYSTEMS ONLY. ALL IMPLIED WARRANTIES INCLUDING APPROPRIATENESS FOR A SPECIFIC PURPOSE ARE EXPLICITLY EXCLUDED.

Title: **DET**  
 Scale: **3" = 1'-0"**  
 Number: **20050**  
 Sheet: **02**  
**APPROVED**

This document is property of nwfacade and should not be used, duplicated or modified without the express written consent. Copyright © 2021 nwfacade. All Rights Reserved. Drawing is for visual purposes only, GC, Installer, supplier contractor to verify all product materials, dimensions, color, size.



03  
DET

**ALUCOBOND® PLUS: ACCENT REVEAL 2-C-ACM**  
ARCH REF:

**Styro Systems & Claddings, Inc.**



[info@styrosystemscarolinas.com](mailto:info@styrosystemscarolinas.com)  
[www.styrosystemscarolinas.com](http://www.styrosystemscarolinas.com)

8206 Village Harbor Dr.  
Cornelius, NC 28031  
(704) 895-6006 P.  
(704) 894-9082 F.


| # | DESCRIPTION    | DATE       | INI. |
|---|----------------|------------|------|
| 1 | 5-MV-ACM Final | 09/14/2021 | rps  |
| 2 | 2-C-ACM Final  | 09/21/2021 | rps  |
| 3 | --             | --         | --   |
| 4 | --             | --         | --   |
| 5 | --             | --         | --   |
| 6 | --             | --         | --   |
| 7 | --             | --         | --   |
| 8 | --             | --         | --   |

System:

**Styro-Systems  
2-C-ACM**

**DRAWING DISCLAIMER:** DETAILS ARE PROVIDED FOR CONCEPTUAL PURPOSES ONLY. ALWAYS REVIEW LOADING REQUIREMENTS WITH THE PROJECT ENGINEER FOR LOCAL/STATE STANDARD CODE REQUIREMENTS, AND USE APPROPRIATE FASTENERS AND SPACING AS REQUIRED. PROJECT SPECIFIC ENGINEERING (BY OTHERS) IS REQUIRED TO ADDRESS LOCAL WIND LOAD, CLADDING WEIGHT/TYPE, PROJECTION, SPACING, ORIENTATION AND SUPPORT LOADING, ETC.) **ALWAYS CONSULT LOCAL BUILDING AND FIRE CODE REQUIREMENTS RELATED TO NFPA 285, HOURLY WALL ASSEMBLIES OR OTHER FIRE RELATED REQUIREMENTS.** CONTACT STYRO SYSTEMS & CLADDING, INC. FOR ADDITIONAL INFORMATION. GUIDE DETAILS BY STYRO SYSTEMS & CLADDING, INC ARE PROVIDED FOR GENERAL REFERENCE ONLY AND REPRESENT TYPICAL CONDITIONS FOR CLADDING ATTACHMENT AND SYSTEMS ONLY. ALL IMPLIED WARRANTIES INCLUDING APPROPRIATENESS FOR A SPECIFIC PURPOSE ARE EXPLICITLY EXCLUDED.

|          |            |
|----------|------------|
| Title:   | DET        |
| Scale:   | 3" = 1'-0" |
| Number:  | 20050      |
| Sheet:   | 03         |
| APPROVED |            |



04  
DET

**ALUCOBOND® PLUS: BASE 2-C-ACM**  
ARCH REF:

**Styro Systems & Claddings, Inc.**



[info@styrosystemscarolinas.com](mailto:info@styrosystemscarolinas.com)  
[www.styrosystemscarolinas.com](http://www.styrosystemscarolinas.com)


8206 Village Harbor Dr.  
Cornelius, NC 28031  
(704) 895-6006 P.  
(704) 894-9082 F.

| # | DESCRIPTION    | DATE       | INI. |
|---|----------------|------------|------|
| 1 | 5-MV-ACM Final | 09/14/2021 | rps  |
| 2 | 2-C-ACM Final  | 09/21/2021 | rps  |
| 3 | --             | --         | --   |
| 4 | --             | --         | --   |
| 5 | --             | --         | --   |
| 6 | --             | --         | --   |
| 7 | --             | --         | --   |
| 8 | --             | --         | --   |

System: **Styro-Systems 2-C-ACM**

**DRAWING DISCLAIMER:** ILLUSTRATION ONLY. DETAILS ARE PROVIDED FOR CONCEPTUAL PURPOSES ONLY. ALWAYS REVIEW LOADING REQUIREMENTS WITH THE PROJECT ENGINEER FOR LOCAL/STATE STANDARD CODE REQUIREMENTS, AND USE APPROPRIATE FASTENERS AND SPACING AS REQUIRED. PROJECT SPECIFIC ENGINEERING (BY OTHERS) IS REQUIRED TO ADDRESS LOCAL WIND LOAD, CLADDING WEIGHT/TYPE, PROJECTION, SPACING, ORIENTATION AND SUPPORT LOADING, ETC.) **ALWAYS CONSULT LOCAL BUILDING AND FIRE CODE REQUIREMENTS RELATED TO NFPA 285, HOURLY WALL ASSEMBLIES OR OTHER FIRE RELATED REQUIREMENTS.** CONTACT STYRO SYSTEMS & CLADDING, INC. FOR ADDITIONAL INFORMATION. GUIDE DETAILS BY STYRO SYSTEMS & CLADDING, INC. ARE PROVIDED FOR GENERAL REFERENCE ONLY AND REPRESENT TYPICAL CONDITIONS FOR CLADDING ATTACHMENT AND SYSTEMS ONLY. ALL IMPLIED WARRANTIES INCLUDING APPROPRIATENESS FOR A SPECIFIC PURPOSE ARE EXPLICITLY EXCLUDED.

|          |            |
|----------|------------|
| Title:   | DET        |
| Scale:   | 3" = 1'-0" |
| Number:  | 20050      |
| Sheet:   | 04         |
| APPROVED |            |



05  
DET

**ALUCOBOND® PLUS: WALL/SOFFIT TRANSITION 2-C-ACM**  
ARCH REF:

**Styro Systems & Claddings, Inc.**



[info@styrosystemscarolinas.com](mailto:info@styrosystemscarolinas.com)  
[www.styrosystemscarolinas.com](http://www.styrosystemscarolinas.com)

8206 Village Harbor Dr.  
Cornelius, NC 28031  
(704) 895-6006 P.  
(704) 894-9082 F.


| # | DESCRIPTION    | DATE       | INI. |
|---|----------------|------------|------|
| 1 | 5-MV-ACM Final | 09/14/2021 | rps  |
| 2 | 2-C-ACM Final  | 09/21/2021 | rps  |
| 3 | --             | --         | --   |
| 4 | --             | --         | --   |
| 5 | --             | --         | --   |
| 6 | --             | --         | --   |
| 7 | --             | --         | --   |
| 8 | --             | --         | --   |

System:

**Styro-Systems  
2-C-ACM**

**DRAWING DISCLAIMER:**  
ILLUSTRATION ONLY. DETAILS ARE PROVIDED FOR CONCEPTUAL PURPOSES ONLY. ALWAYS REVIEW LOADING REQUIREMENTS WITH THE PROJECT ENGINEER FOR LOCAL/STATE STANDARD CODE REQUIREMENTS, AND USE APPROPRIATE FASTENERS AND SPACING AS REQUIRED. PROJECT SPECIFIC ENGINEERING (BY OTHERS) IS REQUIRED TO ADDRESS LOCAL WIND LOAD, CLADDING WEIGHT/TYPE, PROJECTION, SPACING, ORIENTATION AND SUPPORT LOADING, ETC.) **ALWAYS CONSULT LOCAL BUILDING AND FIRE CODE REQUIREMENTS RELATED TO NFPA 285, HOURLY WALL ASSEMBLIES OR OTHER FIRE RELATED REQUIREMENTS.** CONTACT STYRO SYSTEMS & CLADDING, INC. FOR ADDITIONAL INFORMATION. GUIDE DETAILS BY STYRO SYSTEMS & CLADDING, INC ARE PROVIDED FOR GENERAL REFERENCE ONLY AND REPRESENT TYPICAL CONDITIONS FOR CLADDING ATTACHMENT AND SYSTEMS ONLY. ALL IMPLIED WARRANTIES INCLUDING APPROPRIATENESS FOR A SPECIFIC PURPOSE ARE EXPLICITLY EXCLUDED.

|          |            |
|----------|------------|
| Title:   | DET        |
| Scale:   | 3" = 1'-0" |
| Number:  | 20050      |
| Sheet:   | 05         |
| APPROVED |            |



06  
DET

**ALUCOBOND® PLUS: WINDOW HEAD 2-C-ACM**  
ARCH REF:

**Styro Systems & Claddings, Inc.**



[info@styrosystemscarolinas.com](mailto:info@styrosystemscarolinas.com)  
[www.styrosystemscarolinas.com](http://www.styrosystemscarolinas.com)

8206 Village Harbor Dr.  
Cornelius, NC 28031  
(704) 895-6006 P.  
(704) 894-9082 F.


| # | DESCRIPTION    | DATE       | INI. |
|---|----------------|------------|------|
| 1 | 5-MV-ACM Final | 09/14/2021 | rps  |
| 2 | 2-C-ACM Final  | 09/21/2021 | rps  |
| 3 | --             | --         | --   |
| 4 | --             | --         | --   |
| 5 | --             | --         | --   |
| 6 | --             | --         | --   |
| 7 | --             | --         | --   |
| 8 | --             | --         | --   |

System:

**Styro-Systems  
2-C-ACM**

**DRAWING DISCLAIMER:**  
ILLUSTRATION ONLY. DETAILS ARE PROVIDED FOR CONCEPTUAL PURPOSES ONLY. ALWAYS REVIEW LOADING REQUIREMENTS WITH THE PROJECT ENGINEER FOR LOCAL/STATE STANDARD CODE REQUIREMENTS, AND USE APPROPRIATE FASTENERS AND SPACING AS REQUIRED. PROJECT SPECIFIC ENGINEERING (BY OTHERS) IS REQUIRED TO ADDRESS LOCAL WIND LOAD, CLADDING WEIGHT/TYPE, PROJECTION, SPACING, ORIENTATION AND SUPPORT LOADING, ETC.) **ALWAYS CONSULT LOCAL BUILDING AND FIRE CODE REQUIREMENTS RELATED TO NFPA 285, HOURLY WALL ASSEMBLIES OR OTHER FIRE RELATED REQUIREMENTS.** CONTACT STYRO SYSTEMS & CLADDING, INC. FOR ADDITIONAL INFORMATION. GUIDE DETAILS BY STYRO SYSTEMS & CLADDING, INC ARE PROVIDED FOR GENERAL REFERENCE ONLY AND REPRESENT TYPICAL CONDITIONS FOR CLADDING ATTACHMENT AND SYSTEMS ONLY. ALL IMPLIED WARRANTIES INCLUDING APPROPRIATENESS FOR A SPECIFIC PURPOSE ARE EXPLICITLY EXCLUDED.

|          |            |
|----------|------------|
| Title:   | DET        |
| Scale:   | 3" = 1'-0" |
| Number:  | 20050      |
| Sheet:   | 06         |
| APPROVED |            |



07  
DET

**ALUCOBOND® PLUS: WINDOW SILL 2-C-ACM**  
ARCH REF:

**Styro Systems & Claddings, Inc.**



[info@styrosystemscarolinas.com](mailto:info@styrosystemscarolinas.com)  
[www.styrosystemscarolinas.com](http://www.styrosystemscarolinas.com)

8206 Village Harbor Dr.  
Cornelius, NC 28031  
(704) 895-6006 P.  
(704) 894-9082 F.


| # | DESCRIPTION    | DATE       | INI. |
|---|----------------|------------|------|
| 1 | 5-MV-ACM Final | 09/14/2021 | rps  |
| 2 | 2-C-ACM Final  | 09/21/2021 | rps  |
| 3 | --             | --         | --   |
| 4 | --             | --         | --   |
| 5 | --             | --         | --   |
| 6 | --             | --         | --   |
| 7 | --             | --         | --   |
| 8 | --             | --         | --   |

System:

**Styro-Systems  
2-C-ACM**

**DRAWING DISCLAIMER:**  
ILLUSTRATION ONLY. DETAILS ARE PROVIDED FOR CONCEPTUAL PURPOSES ONLY. ALWAYS REVIEW LOADING REQUIREMENTS WITH THE PROJECT ENGINEER FOR LOCAL/STATE STANDARD CODE REQUIREMENTS, AND USE APPROPRIATE FASTENERS AND SPACING AS REQUIRED. PROJECT SPECIFIC ENGINEERING (BY OTHERS) IS REQUIRED TO ADDRESS LOCAL WIND LOAD, CLADDING WEIGHT/TYPE, PROJECTION, SPACING, ORIENTATION AND SUPPORT LOADING, ETC.) **ALWAYS CONSULT LOCAL BUILDING AND FIRE CODE REQUIREMENTS RELATED TO NFPA 285, HOURLY WALL ASSEMBLIES OR OTHER FIRE RELATED REQUIREMENTS.** CONTACT STYRO SYSTEMS & CLADDING, INC. FOR ADDITIONAL INFORMATION. GUIDE DETAILS BY STYRO SYSTEMS & CLADDING, INC ARE PROVIDED FOR GENERAL REFERENCE ONLY AND REPRESENT TYPICAL CONDITIONS FOR CLADDING ATTACHMENT AND SYSTEMS ONLY. ALL IMPLIED WARRANTIES INCLUDING APPROPRIATENESS FOR A SPECIFIC PURPOSE ARE EXPLICITLY EXCLUDED.

|          |            |
|----------|------------|
| Title:   | DET        |
| Scale:   | 3" = 1'-0" |
| Number:  | 20050      |
| Sheet:   | 07         |
| APPROVED |            |



08  
DET

**ALUCOBOND® PLUS: WINDOW JAMB 2-C-ACM**  
ARCH REF:

**Styro Systems & Claddings, Inc.**



[info@styrosystemscarolinas.com](mailto:info@styrosystemscarolinas.com)  
[www.styrosystemscarolinas.com](http://www.styrosystemscarolinas.com)

8206 Village Harbor Dr.  
Cornelius, NC 28031  
(704) 895-6006 P.  
(704) 894-9082 F.


| # | DESCRIPTION    | DATE       | INI. |
|---|----------------|------------|------|
| 1 | 5-MV-ACM Final | 09/14/2021 | rps  |
| 2 | 2-C-ACM Final  | 09/21/2021 | rps  |
| 3 | --             | --         | --   |
| 4 | --             | --         | --   |
| 5 | --             | --         | --   |
| 6 | --             | --         | --   |
| 7 | --             | --         | --   |
| 8 | --             | --         | --   |

System:

**Styro-Systems  
2-C-ACM**

**DRAWING DISCLAIMER:** DETAILS ARE PROVIDED FOR CONCEPTUAL PURPOSES ONLY. ALWAYS REVIEW LOADING REQUIREMENTS WITH THE PROJECT ENGINEER FOR LOCAL/STATE STANDARD CODE REQUIREMENTS, AND USE APPROPRIATE FASTENERS AND SPACING AS REQUIRED. PROJECT SPECIFIC ENGINEERING (BY OTHERS) IS REQUIRED TO ADDRESS LOCAL WIND LOAD, CLADDING WEIGHT/TYPE, PROJECTION, SPACING, ORIENTATION AND SUPPORT LOADING, ETC.) **ALWAYS CONSULT LOCAL BUILDING AND FIRE CODE REQUIREMENTS RELATED TO NFPA 285, HOURLY WALL ASSEMBLIES OR OTHER FIRE RELATED REQUIREMENTS.** CONTACT STYRO SYSTEMS & CLADDING, INC. FOR ADDITIONAL INFORMATION. GUIDE DETAILS BY STYRO SYSTEMS & CLADDING, INC ARE PROVIDED FOR GENERAL REFERENCE ONLY AND REPRESENT TYPICAL CONDITIONS FOR CLADDING ATTACHMENT AND SYSTEMS ONLY. ALL IMPLIED WARRANTIES INCLUDING APPROPRIATENESS FOR A SPECIFIC PURPOSE ARE EXPLICITLY EXCLUDED.

|          |            |
|----------|------------|
| Title:   | DET        |
| Scale:   | 3" = 1'-0" |
| Number:  | 20050      |
| Sheet:   | 08         |
| APPROVED |            |



09 ALUCOBOND® PLUS: OUTSIDE CORNER 2-C-ACM  
 DET ARCH REF:

**Styro Systems & Claddings, Inc.**



[info@styrosystemscarolinas.com](mailto:info@styrosystemscarolinas.com)  
[www.styrosystemscarolinas.com](http://www.styrosystemscarolinas.com)


8206 Village Harbor Dr.  
 Cornelius, NC 28031  
 (704) 895-6006 P.  
 (704) 894-9082 F.

| # | DESCRIPTION    | DATE       | INI. |
|---|----------------|------------|------|
| 1 | 5-MV-ACM Final | 09/14/2021 | rps  |
| 2 | 2-C-ACM Final  | 09/21/2021 | rps  |
| 3 | --             | --         | --   |
| 4 | --             | --         | --   |
| 5 | --             | --         | --   |
| 6 | --             | --         | --   |
| 7 | --             | --         | --   |
| 8 | --             | --         | --   |

System: **Styro-Systems 2-C-ACM**

**DRAWING DISCLAIMER:** ILLUSTRATION ONLY. DETAILS ARE PROVIDED FOR CONCEPTUAL PURPOSES ONLY. ALWAYS REVIEW LOADING REQUIREMENTS WITH THE PROJECT ENGINEER FOR LOCAL/STATE STANDARD CODE REQUIREMENTS, AND USE APPROPRIATE FASTENERS AND SPACING AS REQUIRED. PROJECT SPECIFIC ENGINEERING (BY OTHERS) IS REQUIRED TO ADDRESS LOCAL WIND LOAD, CLADDING WEIGHT/TYPE, PROJECTION, SPACING, ORIENTATION AND SUPPORT LOADING, ETC.) **ALWAYS CONSULT LOCAL BUILDING AND FIRE CODE REQUIREMENTS RELATED TO NFPA 285, HOURLY WALL ASSEMBLIES OR OTHER FIRE RELATED REQUIREMENTS.** CONTACT STYRO SYSTEMS & CLADDING, INC. FOR ADDITIONAL INFORMATION. GUIDE DETAILS BY STYRO SYSTEMS & CLADDING, INC ARE PROVIDED FOR GENERAL REFERENCE ONLY AND REPRESENT TYPICAL CONDITIONS FOR CLADDING ATTACHMENT AND SYSTEMS ONLY. ALL IMPLIED WARRANTIES INCLUDING APPROPRIATENESS FOR A SPECIFIC PURPOSE ARE EXPLICITLY EXCLUDED.

|          |            |
|----------|------------|
| Title:   | DET        |
| Scale:   | 3" = 1'-0" |
| Number:  | 20050      |
| Sheet:   | 09         |
| APPROVED |            |



10  
DET

**ALUCOBOND® PLUS: VERTICAL JOINT 2-C-ACM**  
ARCH REF:

**Styro Systems & Claddings, Inc.**



[info@styrosystemscarolinas.com](mailto:info@styrosystemscarolinas.com)  
[www.styrosystemscarolinas.com](http://www.styrosystemscarolinas.com)

8206 Village Harbor Dr.  
Cornelius, NC 28031  
(704) 895-6006 P.  
(704) 894-9082 F.


| # | DESCRIPTION    | DATE       | INI. |
|---|----------------|------------|------|
| 1 | 5-MV-ACM Final | 09/14/2021 | rps  |
| 2 | 2-C-ACM Final  | 09/21/2021 | rps  |
| 3 | --             | --         | --   |
| 4 | --             | --         | --   |
| 5 | --             | --         | --   |
| 6 | --             | --         | --   |
| 7 | --             | --         | --   |
| 8 | --             | --         | --   |

System:

**Styro-Systems  
2-C-ACM**

**DRAWING DISCLAIMER:**  
ILLUSTRATION ONLY. DETAILS ARE PROVIDED FOR CONCEPTUAL PURPOSES ONLY. ALWAYS REVIEW LOADING REQUIREMENTS WITH THE PROJECT ENGINEER FOR LOCAL/STATE STANDARD CODE REQUIREMENTS, AND USE APPROPRIATE FASTENERS AND SPACING AS REQUIRED. PROJECT SPECIFIC ENGINEERING (BY OTHERS) IS REQUIRED TO ADDRESS LOCAL WIND LOAD, CLADDING WEIGHT/TYPE, PROJECTION, SPACING, ORIENTATION AND SUPPORT LOADING, ETC.) **ALWAYS CONSULT LOCAL BUILDING AND FIRE CODE REQUIREMENTS RELATED TO NFPA 285, HOURLY WALL ASSEMBLIES OR OTHER FIRE RELATED REQUIREMENTS.** CONTACT STYRO SYSTEMS & CLADDING, INC. FOR ADDITIONAL INFORMATION. GUIDE DETAILS BY STYRO SYSTEMS & CLADDING, INC ARE PROVIDED FOR GENERAL REFERENCE ONLY AND REPRESENT TYPICAL CONDITIONS FOR CLADDING ATTACHMENT AND SYSTEMS ONLY. ALL IMPLIED WARRANTIES INCLUDING APPROPRIATENESS FOR A SPECIFIC PURPOSE ARE EXPLICITLY EXCLUDED.

|          |            |
|----------|------------|
| Title:   | DET        |
| Scale:   | 3" = 1'-0" |
| Number:  | 20050      |
| Sheet:   | 10         |
| APPROVED |            |



11  
DET

**ALUCOBOND® PLUS: INSIDE CORNER 2-C-ACM**  
ARCH REF:

**Styro Systems & Claddings, Inc.**



[info@styrosystemscarolinas.com](mailto:info@styrosystemscarolinas.com)  
[www.styrosystemscarolinas.com](http://www.styrosystemscarolinas.com)

8206 Village Harbor Dr.  
Cornelius, NC 28031  
(704) 895-6006 P.  
(704) 894-9082 F.


| # | DESCRIPTION    | DATE       | INI. |
|---|----------------|------------|------|
| 1 | 5-MV-ACM Final | 09/14/2021 | rps  |
| 2 | 2-C-ACM Final  | 09/21/2021 | rps  |
| 3 | --             | --         | --   |
| 4 | --             | --         | --   |
| 5 | --             | --         | --   |
| 6 | --             | --         | --   |
| 7 | --             | --         | --   |
| 8 | --             | --         | --   |

System:

**Styro-Systems  
2-C-ACM**

**DRAWING DISCLAIMER:**  
ILLUSTRATION ONLY. DETAILS ARE PROVIDED FOR CONCEPTUAL PURPOSES ONLY. ALWAYS REVIEW LOADING REQUIREMENTS WITH THE PROJECT ENGINEER FOR LOCAL/STATE STANDARD CODE REQUIREMENTS, AND USE APPROPRIATE FASTENERS AND SPACING AS REQUIRED. PROJECT SPECIFIC ENGINEERING (BY OTHERS) IS REQUIRED TO ADDRESS LOCAL WIND LOAD, CLADDING WEIGHT/TYPE, PROJECTION, SPACING, ORIENTATION AND SUPPORT LOADING, ETC.) **ALWAYS CONSULT LOCAL BUILDING AND FIRE CODE REQUIREMENTS RELATED TO NFPA 285, HOURLY WALL ASSEMBLIES OR OTHER FIRE RELATED REQUIREMENTS.** CONTACT STYRO SYSTEMS & CLADDING, INC. FOR ADDITIONAL INFORMATION. GUIDE DETAILS BY STYRO SYSTEMS & CLADDING, INC ARE PROVIDED FOR GENERAL REFERENCE ONLY AND REPRESENT TYPICAL CONDITIONS FOR CLADDING ATTACHMENT AND SYSTEMS ONLY. ALL IMPLIED WARRANTIES INCLUDING APPROPRIATENESS FOR A SPECIFIC PURPOSE ARE EXPLICITLY EXCLUDED.

|          |            |
|----------|------------|
| Title:   | DET        |
| Scale:   | 3" = 1'-0" |
| Number:  | 20050      |
| Sheet:   | 11         |
| APPROVED |            |



12 ALUCOBOND® PLUS: RADIUS OUTSIDE CORNER 2-C-ACM  
 DET ARCH REF:

**Styro Systems & Claddings, Inc.**



[info@styrosystemscarolinas.com](mailto:info@styrosystemscarolinas.com)  
[www.styrosystemscarolinas.com](http://www.styrosystemscarolinas.com)

8206 Village Harbor Dr.  
 Cornelius, NC 28031  
 (704) 895-6006 P.  
 (704) 894-9082 F.


| # | DESCRIPTION    | DATE       | INI. |
|---|----------------|------------|------|
| 1 | 5-MV-ACM Final | 09/14/2021 | rps  |
| 2 | 2-C-ACM Final  | 09/21/2021 | rps  |
| 3 | --             | --         | --   |
| 4 | --             | --         | --   |
| 5 | --             | --         | --   |
| 6 | --             | --         | --   |
| 7 | --             | --         | --   |
| 8 | --             | --         | --   |

System:

**Styro-Systems  
 2-C-ACM**

**DRAWING DISCLAIMER:**  
 ILLUSTRATION ONLY. DETAILS ARE PROVIDED FOR CONCEPTUAL PURPOSES ONLY. ALWAYS REVIEW LOADING REQUIREMENTS WITH THE PROJECT ENGINEER FOR LOCAL/STATE STANDARD CODE REQUIREMENTS, AND USE APPROPRIATE FASTENERS AND SPACING AS REQUIRED. PROJECT SPECIFIC ENGINEERING (BY OTHERS) IS REQUIRED TO ADDRESS LOCAL WIND LOAD, CLADDING WEIGHT/TYPE, PROJECTION, SPACING, ORIENTATION AND SUPPORT LOADING, ETC.) **ALWAYS CONSULT LOCAL BUILDING AND FIRE CODE REQUIREMENTS RELATED TO NFPA 285, HOURLY WALL ASSEMBLIES OR OTHER FIRE RELATED REQUIREMENTS.** CONTACT STYRO SYSTEMS & CLADDING, INC. FOR ADDITIONAL INFORMATION. GUIDE DETAILS BY STYRO SYSTEMS & CLADDING, INC ARE PROVIDED FOR GENERAL REFERENCE ONLY AND REPRESENT TYPICAL CONDITIONS FOR CLADDING ATTACHMENT AND SYSTEMS ONLY. ALL IMPLIED WARRANTIES INCLUDING APPROPRIATENESS FOR A SPECIFIC PURPOSE ARE EXPLICITLY EXCLUDED.

|          |            |
|----------|------------|
| Title:   | DET        |
| Scale:   | 3" = 1'-0" |
| Number:  | 20050      |
| Sheet:   | 12         |
| APPROVED |            |



13  
DET

ALUCOBOND® PLUS: ENDWALL CONDITION 2-C-ACM  
ARCH REF:

### Styro Systems & Claddings, Inc.



[info@styrosystemscarolinas.com](mailto:info@styrosystemscarolinas.com)  
[www.styrosystemscarolinas.com](http://www.styrosystemscarolinas.com)

8206 Village Harbor Dr.  
Cornelius, NC 28031  
(704) 895-6006 P.  
(704) 894-9082 F.


| # | DESCRIPTION    | DATE       | INI. |
|---|----------------|------------|------|
| 1 | 5-MV-ACM Final | 09/14/2021 | rps  |
| 2 | 2-C-ACM Final  | 09/21/2021 | rps  |
| 3 | --             | --         | --   |
| 4 | --             | --         | --   |
| 5 | --             | --         | --   |
| 6 | --             | --         | --   |
| 7 | --             | --         | --   |
| 8 | --             | --         | --   |

System:

### Styro-Systems 2-C-ACM

**DRAWING DISCLAIMER:**  
ILLUSTRATION ONLY. DETAILS ARE PROVIDED FOR CONCEPTUAL PURPOSES ONLY. ALWAYS REVIEW LOADING REQUIREMENTS WITH THE PROJECT ENGINEER FOR LOCAL/STATE STANDARD CODE REQUIREMENTS, AND USE APPROPRIATE FASTENERS AND SPACING AS REQUIRED. PROJECT SPECIFIC ENGINEERING (BY OTHERS) IS REQUIRED TO ADDRESS LOCAL WIND LOAD, CLADDING WEIGHT/TYPE, PROJECTION, SPACING, ORIENTATION AND SUPPORT LOADING, ETC.) **ALWAYS CONSULT LOCAL BUILDING AND FIRE CODE REQUIREMENTS RELATED TO NFPA 285, HOURLY WALL ASSEMBLIES OR OTHER FIRE RELATED REQUIREMENTS.** CONTACT STYRO SYSTEMS & CLADDING, INC. FOR ADDITIONAL INFORMATION. GUIDE DETAILS BY STYRO SYSTEMS & CLADDING, INC ARE PROVIDED FOR GENERAL REFERENCE ONLY AND REPRESENT TYPICAL CONDITIONS FOR CLADDING ATTACHMENT AND SYSTEMS ONLY. ALL IMPLIED WARRANTIES INCLUDING APPROPRIATENESS FOR A SPECIFIC PURPOSE ARE EXPLICITLY EXCLUDED.

|          |            |
|----------|------------|
| Title:   | DET        |
| Scale:   | 3" = 1'-0" |
| Number:  | 20050      |
| Sheet:   | 13         |
| APPROVED |            |



14  
DET

**ALUCOBOND® PLUS: SQUARE COLUMN COVER 2-C-ACM**  
ARCH REF:

**Styro Systems & Claddings, Inc.**



[info@styrosystemscarolinas.com](mailto:info@styrosystemscarolinas.com)  
[www.styrosystemscarolinas.com](http://www.styrosystemscarolinas.com)

8206 Village Harbor Dr.  
Cornelius, NC 28031  
(704) 895-6006 P.  
(704) 894-9082 F.


| # | DESCRIPTION    | DATE       | INI. |
|---|----------------|------------|------|
| 1 | 5-MV-ACM Final | 09/14/2021 | rps  |
| 2 | 2-C-ACM Final  | 09/21/2021 | rps  |
| 3 | --             | --         | --   |
| 4 | --             | --         | --   |
| 5 | --             | --         | --   |
| 6 | --             | --         | --   |
| 7 | --             | --         | --   |
| 8 | --             | --         | --   |

System:

**Styro-Systems  
2-C-ACM**

**DRAWING DISCLAIMER:** ILLUSTRATION ONLY. DETAILS ARE PROVIDED FOR CONCEPTUAL PURPOSES ONLY. ALWAYS REVIEW LOADING REQUIREMENTS WITH THE PROJECT ENGINEER FOR LOCAL/STATE STANDARD CODE REQUIREMENTS, AND USE APPROPRIATE FASTENERS AND SPACING AS REQUIRED. PROJECT SPECIFIC ENGINEERING (BY OTHERS) IS REQUIRED TO ADDRESS LOCAL WIND LOAD, CLADDING WEIGHT/TYPE, PROJECTION, SPACING, ORIENTATION AND SUPPORT LOADING, ETC.) **ALWAYS CONSULT LOCAL BUILDING AND FIRE CODE REQUIREMENTS RELATED TO NFPA 285, HOURLY WALL ASSEMBLIES OR OTHER FIRE RELATED REQUIREMENTS.** CONTACT STYRO SYSTEMS & CLADDING, INC. FOR ADDITIONAL INFORMATION. GUIDE DETAILS BY STYRO SYSTEMS & CLADDING, INC ARE PROVIDED FOR GENERAL REFERENCE ONLY AND REPRESENT TYPICAL CONDITIONS FOR CLADDING ATTACHMENT AND SYSTEMS ONLY. ALL IMPLIED WARRANTIES INCLUDING APPROPRIATENESS FOR A SPECIFIC PURPOSE ARE EXPLICITLY EXCLUDED.

|          |            |
|----------|------------|
| Title:   | DET        |
| Scale:   | 3" = 1'-0" |
| Number:  | 20050      |
| Sheet:   | 14         |
| APPROVED |            |



15  
DET

**ALUCOBOND® PLUS: RADIUS COLUMN COVER 2-C-ACM**  
ARCH REF:

**Styro Systems & Claddings, Inc.**  
[info@styrosystemscarolinas.com](mailto:info@styrosystemscarolinas.com)  
[www.styrosystemscarolinas.com](http://www.styrosystemscarolinas.com)  
 8206 Village Harbor Dr.  
 Cornelius, NC 28031  
 (704) 895-6006 P.  
 (704) 894-9082 F.



| # | DESCRIPTION    | DATE       | INI. |
|---|----------------|------------|------|
| 1 | 5-MV-ACM Final | 09/14/2021 | rps  |
| 2 | 2-C-ACM Final  | 09/21/2021 | rps  |
| 3 | --             | --         | --   |
| 4 | --             | --         | --   |
| 5 | --             | --         | --   |
| 6 | --             | --         | --   |
| 7 | --             | --         | --   |
| 8 | --             | --         | --   |

System: **Styro-Systems 2-C-ACM**

**DRAWING DISCLAIMER:**  
 ILLUSTRATION ONLY. DETAILS ARE PROVIDED FOR CONCEPTUAL PURPOSES ONLY. ALWAYS REVIEW LOADING REQUIREMENTS WITH THE PROJECT ENGINEER FOR LOCAL/STATE STANDARD CODE REQUIREMENTS, AND USE APPROPRIATE FASTENERS AND SPACING AS REQUIRED. PROJECT SPECIFIC ENGINEERING (BY OTHERS) IS REQUIRED TO ADDRESS LOCAL WIND LOAD, CLADDING WEIGHT/TYPE, PROJECTION, SPACING, ORIENTATION AND SUPPORT LOADING, ETC.) **ALWAYS CONSULT LOCAL BUILDING AND FIRE CODE REQUIREMENTS RELATED TO NFPA 285, HOURLY WALL ASSEMBLIES OR OTHER FIRE RELATED REQUIREMENTS.** CONTACT STYRO SYSTEMS & CLADDING, INC. FOR ADDITIONAL INFORMATION. GUIDE DETAILS BY STYRO SYSTEMS & CLADDING, INC ARE PROVIDED FOR GENERAL REFERENCE ONLY AND REPRESENT TYPICAL CONDITIONS FOR CLADDING ATTACHMENT AND SYSTEMS ONLY. ALL IMPLIED WARRANTIES INCLUDING APPROPRIATENESS FOR A SPECIFIC PURPOSE ARE EXPLICITLY EXCLUDED.

Title: **DET**  
 Scale: **3" = 1'-0"**  
 Number: **20050**  
 Sheet: **15**  
**APPROVED**

This document is property of nwfacade and should not be used, duplicated or modified without the express written consent. Copyright © 2021 nwfacade, All Rights Reserved. Drawing is for visual purposes only, GC, Installer, supplier contractor to verify all product materials, dimensions, color, size.